Approved by OMB
3060-0999
See instructions for
public burden estimate.

Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2013 - June 30, 2014

Filing Deadline: July 15, 2014

Filing Date: 07/13/2014 07:38 PM

Filing Confirmation Number: 0006368058

FRN: 0018939488

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name:	LG Electronics MobileComm USA
Brand Names:	LG
PO Box:	
Street Address:	1000 Sylvan Avenue
City:	Englewood Cliffs
State:	NJ
Zip Code:	07632

Contact Name:	Jacob Cho
Contact Phone:	(120) 126-6253
Contact Fax:	(120) 181-6200
Contact Email:	gyusik.cho@lge.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?
Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?
 Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: http://www.lg.com/us/public-notices/mobile/hearing-aid-compatibility-hac

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: We always have been doing our best to provide HAC compliance handsets with newer designs and better functionalities for consumers. In advance, we're trying to provide the customers with better accessibility including HAC.
Fo details, please see our outreach efforts below.
1. LG has collaborated with Sprint Wireless and the Kansas School for the Blind in Kansas City, KS to obtain feedback on the accessibility of three of our mobile handsets.
2. LG conducted a cross-disability study of the user interface of our mobile devices involving 24 smartphone users (11 people with vision loss, 6 people with hearing loss and 7 people with motor skills loss).
3. LG attended the 2014 CSUN conference in San Diego, CA.
4. LG attended the 2014 M-Enabling Summit in Washington, DC.
5. LG donated to and attended the American Foundation for the Blind (AFB) Fundraising Dinner and Awards presentation in New York, NY.
6. LG attended the 2014 Hearing Loss Association of America (HLAA) conference in Austin, TX.
We'll keep making our efforts to provide our customers with better accessibility including HAC.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 35

Report Remarks

35 models hav been tested and certified for hearing aid compatibility during the reporting period. In detail, 25 models have been proivided with the customer during the reporting period and rest of them (10 models) will be provided soon.

You have reported the following handset model summary information.
Total number of handsets offered: 54

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	Number	
GSM	21	84%	3	12%	1	4%		25
CDMA	28	82%	6	18%				34
WCDMA	21	84%	3	12%	1	4%		25

Handset 1: LG LG-A380

Handset Maker
   LG

Handset Model Name   FCC ID
   LG-A380   ZNFA380

Air Interfaces/Frequency Bands

   850 MHz GSM
   850 MHz WCDMA
   1900 MHz GSM
   1900 MHz WCDMA
   2.4 GHz Bluetooth

Dates

  This handset model was offered from: 01/14 to 06/14

Ratings

   M-Rating: M3

   M-Rating Certification Date: 10/17/13

   Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

   Version of the ANSI C63.19 standard used during the certification process: 2011

   T-Rating: T4

   T-Rating Certification Date: 10/17/13

   Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

  Marketing name: LGA380

Handset 2: LG LG-AN160PP, LG236C

Handset Maker

LG

Handset Model Name   **FCC ID**

LG-AN160PP, LG236C   ZNFAN160

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 08/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 03/19/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Marketing name
- LG-AN160PP: Fluid
- LG236C: LG236C

Handset 3: LG LG-AS695

Handset Maker

LG

Handset Model Name   **FCC ID**

LG-AS695   ZNFAS695

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/13 to 11/13

Ratings

M-Rating: M4

M-Rating Certification Date: 03/29/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/29/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name: Optimus Plus

Handset 4: LG LG-AS730PP

Handset Maker

LG

Handset Model Name	FCC ID
LG-AS730PP	ZNFAS730
LG730, LGL86C	ZNFAS730

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/13 to 11/13

Ratings

M-Rating: M4

M-Rating Certification Date: 05/25/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for

emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/25/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name
- LG-AS730PP: Optimus Select
- LG730: Venice
- LGL86C: Optimus Showtime

Handset 5: LG LG-AS870

Handset Maker

LG

Handset Model Name	FCC ID
LG-AS870	ZNFVS870
LG-VS870	ZNFVS870

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/13 to 04/14

Ratings

M-Rating: M4

M-Rating Certification Date: 01/22/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/22/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing Name
- LG-AS870: F7
- LG-VS870: LG Lucid 2

Handset 6: LG LG-C410

Handset Maker

LG

Handset Model Name   FCC ID

LG-C410   ZNFC410

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 02/14 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 10/18/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/18/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Xpression 2

Handset 7: LG LG-D321

Handset Maker

LG

Handset Model Name	**FCC ID**
LG-D321	ZNFD321

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 05/14 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 04/11/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/11/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: L70

Handset 8: LG LG-D415RD

Handset Maker

LG

Handset Model Name	**FCC ID**
LG-D415RD	ZNFD415

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 04/14 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 01/29/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/10/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Optimus L90

Handset 9: LG LG-D520BK

Handset Maker

LG

Handset Model Name	FCC ID
LG-D520BK	ZNFD520

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 02/14 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 09/16/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/16/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Optimus F3Q

Handset 10: LG LG-D800

Handset Maker

LG

Handset Model Name   FCC ID

LG-D800   ZNFD800

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 09/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 07/31/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/31/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G2

Handset 11: LG LG-D801, LG-D801BK

Handset Maker

LG

Handset Model Name   FCC ID

LG-D801, LG-D801BK   ZNFD801

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 09/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 07/23/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/23/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G2

Handset 12: LG LG-D820, LG-D820BK

Handset Maker

LG

Handset Model Name   FCC ID

LG-D820, LG-D820BK   ZNFD820

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 10/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 09/05/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Marketing name: Nexus5

Handset 13: LG LG-D950

Handset Maker

LG

Handset Model Name	FCC ID
LG-D950	ZNFD950

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 01/14 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 11/22/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 11/22/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G Flex

Handset 14: LG LG-D959TS

Handset Maker

LG

Handset Model Name	FCC ID
LG-D959TS	ZNFD959

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 01/14 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 11/15/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 11/15/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G Flex

Handset 15: LG LG-E960

Handset Maker

LG

Handset Model Name   FCC ID

LG-E960   ZNFE960

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/13 to 08/13

Ratings

M-Rating: M3

M-Rating Certification Date: 09/07/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Marketing name: Nexus4

Handset 16: LG LG-E980

Handset Maker

LG

Handset Model Name   FCC ID

LG-E980   ZNFE980

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 03/21/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/21/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G Pro

Handset 17: LG LG-LN272S, LG272

Handset Maker

LG

Handset Model Name	FCC ID
LG-LN272S, LG272	ZNFLN272

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 10/06/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/06/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name
- LG-LN272S: Rumor Reflex S
- LG272: Rumor Reflex

Handset 18: LG LG-LS720, LG-VM720

Handset Maker

  LG

Handset Model Name	**FCC ID**
LG-LS720, LG-VM720	ZNFLS720

Air Interfaces/Frequency Bands

  800 MHz CDMA
  1900 MHz CDMA
  1900 MHz LTE
  2.4 GHz Wi-Fi
  2.4 GHz Bluetooth

Dates

  This handset model was offered from: 07/13 to 06/14

Ratings

  M-Rating: M4

  M-Rating Certification Date: 03/21/13

  Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

  Version of the ANSI C63.19 standard used during the certification process: 2011

  T-Rating: T3

  T-Rating Certification Date: 03/21/13

  Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

  Marketing name: Optimus F3

Handset 19: LG LG-LS740

Handset Maker

  LG

Handset Model Name	**FCC ID**
LG-LS740	ZNFLS740

Air Interfaces/Frequency Bands

  800 MHz CDMA
  800 MHz LTE
  1900 MHz CDMA
  1900 MHz LTE
  2.4 GHz Wi-Fi
  2.4 GHz Bluetooth
  2.5 GHz LTE

Dates

  This handset model was offered from: 04/14 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 01/28/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/28/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Volt

Handset 20: LG LG-LS860

Handset Maker

LG

Handset Model Name	**FCC ID**
LG-LS860	ZNFLS860

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/13 to 08/13

Ratings

M-Rating: M4

M-Rating Certification Date: 08/29/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/29/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name: Mach

Handset 21: LG LG-LS970

Handset Maker

LG

Handset Model Name   FCC ID

LG-LS970   ZNFLS970

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/13 to 09/13

Ratings

M-Rating: M4

M-Rating Certification Date: 08/10/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Marketing name: Optimus G

Handset 22: LG LG-LS980

Handset Maker

  LG

Handset Model Name   **FCC ID**

  LG-LS980   ZNFLS980

Air Interfaces/Frequency Bands

  800 MHz CDMA
  800 MHz LTE
  850 MHz GSM
  850 MHz WCDMA
  1900 MHz GSM
  1900 MHz CDMA
  1900 MHz WCDMA
  1900 MHz LTE
  2.4 GHz Wi-Fi
  2.4 GHz Bluetooth
  2.5 GHz LTE
  5.0 GHz Wi-Fi

Dates

  This handset model was offered from: 09/13 to 06/14

Ratings

  M-Rating: M4

  M-Rating Certification Date: 07/23/13

  Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

  Version of the ANSI C63.19 standard used during the certification process: 2011

  T-Rating: T3

  T-Rating Certification Date: 07/23/13

  Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

  Marketing name: G2

Handset 23: LG LG-LS995

Handset Maker

  LG

Handset Model Name   **FCC ID**

  LG-LS995   ZNFLS995

Air Interfaces/Frequency Bands

  800 MHz CDMA
  800 MHz LTE

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 01/14 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 11/20/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 11/20/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G-Flex

Handset 24: LG LG-MS323

Handset Maker

LG

Handset Model Name	**FCC ID**
LG-MS323	ZNFMS323

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 04/14 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 02/13/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/13/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: LG Optimus L70

Handset 25: LG LG-D500BK

Handset Maker

LG

Handset Model Name	FCC ID
LG-D500BK	ZNFD500
LG-MS500	ZNFD500

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 06/28/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/28/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-MS500: LG Optimus F6
- LG-D500BK: Optimus F6

Handset 26: LG LG-MS659

Handset Maker

LG

Handset Model Name	FCC ID
LG-MS659	ZNFMS659
LG-P659BK	ZNFMS659

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 06/12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/12/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-MS659: LG Optimus F3
- LG-P659BK: Optimus F3

Handset 27: LG LG-MS770

Handset Maker

LG

Handset Model Name   FCC ID

LG-MS770   ZNFMS770

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/13 to 08/13

Ratings

M-Rating: M4

M-Rating Certification Date: 07/18/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/18/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name: LG Morion 4G

Handset 28: LG LG-MS870

Handset Maker

LG

Handset Model Name	**FCC ID**
LG-MS870	ZNFMS870

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/13 to 07/13

Ratings

M-Rating: M4

M-Rating Certification Date: 11/09/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/09/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name: LG Spirit 4G

Handset 29: LG LG-P769BK, LG-MS769

Handset Maker

LG

Handset Model Name	**FCC ID**
LG-P769BK, LG-MS769	ZNFP769

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/13 to 01/14

Ratings

M-Rating: M3

M-Rating Certification Date: 10/01/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/01/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name
- LG-P769BK: Optimus L9
- LG-MS769: LG Optimus L9 4G

Handset 30: LG LG-US730PP

Handset Maker

LG

Handset Model Name	FCC ID
LG-US730PP	ZNFUS730

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 09/13 to 02/14

Ratings

M-Rating: M4

M-Rating Certification Date: 05/07/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/07/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name: Splendor

Handset 31: LG LG-VN150S

Handset Maker

LG

Handset Model Name   FCC ID

LG-VN150S   BEJVN150

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 04/28/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/28/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name: LG Revere 2

Handset 32: LG LG-VN251S

Handset Maker

LG

Handset Model Name   **FCC ID**

LG-VN251S   BEJVN251

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 06/03/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/03/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name: LG Cosmos 3

Handset 33: LG LG-VN280

Handset Maker

LG

Handset Model Name   **FCC ID**

LG-VN280   ZNFVN280

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 04/14 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 01/16/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/16/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: LG Extravert 2

Handset 34: LG LG-VN360

Handset Maker

LG

Handset Model Name	**FCC ID**
LG-VN360	ZNFVN360

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 10/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 05/16/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/16/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: LG Exalt

Handset 35: LG LG-VS450PP

Handset Maker

  LG

Handset Model Name   **FCC ID**

  LG-VS450PP   ZNFVS450PP

Air Interfaces/Frequency Bands

  800 MHz CDMA
  1900 MHz CDMA
  2.4 GHz Wi-Fi
  2.4 GHz Bluetooth

Dates

  This handset model was offered from: 04/14 to 06/14

Ratings

  M-Rating: M4

  M-Rating Certification Date: 02/21/14

  Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

  Version of the ANSI C63.19 standard used during the certification process: 2011

  T-Rating: T3

  T-Rating Certification Date: 02/21/14

  Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

  Marketing name: LG Optimus Exceed 2

Handset 36: LG LG-VS840PP

Handset Maker

  LG

Handset Model Name   **FCC ID**

  LG-VS840PP   ZNFVS840

Air Interfaces/Frequency Bands

  700 MHz LTE
  800 MHz CDMA
  1900 MHz CDMA
  2.4 GHz Wi-Fi
  2.4 GHz Bluetooth

Dates

  This handset model was offered from: 07/13 to 08/13

Ratings

M-Rating: M4

M-Rating Certification Date: 01/20/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/20/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name: LG Optimus Exceed

Handset 37: LG LG-VS876

Handset Maker

LG

Handset Model Name	FCC ID
LG-VS876	ZNFVS876

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 04/14 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 02/03/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/03/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: LG Lucid 3

Handset 38: LG LG-VS890

Handset Maker

LG

Handset Model Name   **FCC ID**

LG-VS890   ZNFVS890

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 08/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 06/14/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/14/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Enact by LG

Handset 39: LG LG-VS930

Handset Maker

LG

Handset Model Name	FCC ID
LG-VS930	ZNFVS930

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/13 to 09/13

Ratings

M-Rating: M3

M-Rating Certification Date: 06/19/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/19/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name: LG Spectrum 2

Handset 40: LG LG-VS950

Handset Maker

LG

Handset Model Name	FCC ID
LG-VS950	ZNFVS950

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/13 to 12/13

Ratings

M-Rating: M3

M-Rating Certification Date: 06/28/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/28/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name: LG Intuition

Handset 41: LG LG-VS980, LG-VS980W

Handset Maker

LG

Handset Model Name	FCC ID
LG-VS980, LG-VS980W	ZNFVS980

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 09/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 08/15/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 08/15/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: LG G2

Handset 42: LG LG100C

Handset Maker
LG

Handset Model Name   FCC ID

LG100C   BEJLG100C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 09/13

Ratings

M-Rating: M4

M-Rating Certification Date: 05/19/09

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/19/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name: LG100C

Handset 43: LG LG221C

Handset Maker
LG

Handset Model Name   FCC ID

| LG221C | BEJUN150 |
| LG235C | BEJUN150 |

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/13 to 11/13

Ratings

M-Rating: M4

M-Rating Certification Date: 03/31/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Marketing name
- LG221C
- LG235C

Handset 44: LG LG305C

Handset Maker

LG

Handset Model Name   FCC ID

LG305C   ZNFLG305C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 04/14 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 01/21/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Marketing name: LG305C

Handset 45: LG LG306G

Handset Maker

LG

Handset Model Name   FCC ID

LG306G   ZNF306G

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 02/14 to 06/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Marketing name: LG306G

Handset 46: LG LG440G

Handset Maker

LG

Handset Model Name   **FCC ID**

LG440G   ZNFLG440G

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 06/01/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/01/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name: LG440G

Handset 47: LG LG501C

Handset Maker

LG

Handset Model Name   **FCC ID**

LG501C   BEJUN200

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/13 to 08/13

Ratings

M-Rating: M4

M-Rating Certification Date: 11/17/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 11/17/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name: LG501C

Handset 48: LG LG530G

Handset Maker

LG

Handset Model Name	FCC ID
LG530G	ZNFLG530G

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/13 to 07/13

Ratings

M-Rating: M3

M-Rating Certification Date: 07/25/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/25/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name: LG530G

Handset 49: LG LG840G

Handset Maker

  LG

Handset Model Name	**FCC ID**
LG840G	ZNFLG840G

Air Interfaces/Frequency Bands

  850 MHz GSM
  850 MHz WCDMA
  1900 MHz GSM
  1900 MHz WCDMA
  2.4 GHz Wi-Fi
  2.4 GHz Bluetooth

Dates

  This handset model was offered from: 07/13 to 01/14

Ratings

  M-Rating: M3

  M-Rating Certification Date: 07/02/12

  Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

  Version of the ANSI C63.19 standard used during the certification process: 2007

  T-Rating: T3

  T-Rating Certification Date: 07/02/12

  Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

  Marketing name: LG840G

Handset 50: LG LG870

Handset Maker

  LG

Handset Model Name	**FCC ID**
LG870	ZNFLG870

Air Interfaces/Frequency Bands

  800 MHz CDMA
  1900 MHz CDMA
  1900 MHz LTE
  2.4 GHz Wi-Fi
  2.4 GHz Bluetooth
  5.0 GHz Wi-Fi

Dates

  This handset model was offered from: 07/13 to 04/14

Ratings

M-Rating: M4

M-Rating Certification Date: 04/25/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/25/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name: Optimus F7

Handset 51: LG LG-VS415PP

Handset Maker

LG

Handset Model Name	FCC ID
LG-VS415PP	ZNFL34C
LGL34C	ZNFL34C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 04/14 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 12/18/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 12/18/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LGL34C: Optimus Fuel
- LG-VS415PP: LG Optimus Zone 2

Handset 52: LG LG-VS410PP

Handset Maker

LG

Handset Model Name   FCC ID

Handset Model Name	FCC ID
LG-VS410PP	ZNFL38C
LGL38C	ZNFL38C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/13 to 05/14

Ratings

M-Rating: M4

M-Rating Certification Date: 10/03/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Marketing name
- LGL38C: Optimus Dynamic
- LG-VS410PP: LG Optimus Zone

Handset 53: LG LGL39C

Handset Maker

LG

Handset Model Name	**FCC ID**
LGL39C	ZNFL39C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 11/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 07/31/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/31/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Optimus Dynamic II

Handset 54: LG LGL40G

Handset Maker

LG

Handset Model Name	**FCC ID**
LGL40G	ZNFL40G

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 10/13 to 02/14

Ratings

M-Rating: M3

M-Rating Certification Date: 05/24/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Marketing name: Optimus Extreme

Certification

This Report has been certified by:

Jacob Cho Director
07/13/2014 07:38 PM